

		Biomass in habitat area	Production biomass	Consumption biomass
Birds and Marine Mammals	Polar bear			
	Beluga			
	Bowhead			
	Ringed seal			
	Bearded seal			
	Birds			
Fish	Char & Dolly Varden			
	Ciscos & Whitefish			
	Salmonids			
	Herring & smelt			
	Arctic & Polar cods			
	Capelin			
	Flounder & benthic cods			
	Small benthic marine fish			
	Other fish			
Benthos	Arthropods			
	Bivalves			
	Echinoderms			
	Mollusks			
	Worms			
	Other benthos			
	Zooplankton	Jellies		
Macro-zooplankton				
Medium copepods				
Lg copepods (<i>Calanus</i>)				
Other meso-zooplankton				
Micro-zooplankton				
Producers	Producers >5µm			
	Producers <5µm			
	Ice algae			
	Benthic plants			
Detritus	Pelagic detritus			
	Benthic detritus			

Biomass in habitat area

Estimated by Ecopath

From other model

Guesstimate

Approximate or indirect method

Sampling/locally, low precision

Sampling/locally, high precision

Production biomass

Consumption biomass

Estimated by Ecopath

Guesstimate

From other model

Empirical relationship

Similar species, similar system, low precision

Similar species, same system, low precision

Similar species, similar system, high precision

Similar species, same system, high precision